Index to Volume 40

Afzal, S. A.—
See Ahsan, M. H. 39
Ahmad, A. A. Z.—
See Ahsan, M. H. 39
Ahsan, M. H., Ahmad, A. A. Z., and Afzal, S. A.—
An analysis of the $^{12}C(^{16}O, \alpha)^{24}Mg$ reaction 39
Allakhverdiyev, A. O., Guseinov, O. H., and Yusifov, I. M.—
Spatial distribution of pulsars and supernova remnants 837
Alurkar, S. K.—
See Slee, O. B. 557
Anderson, B. D.—
See Foot, P. B. 611
Andrikidis, C.—
See Collins, J. G. 65

Baldwin, A. R.—
See Foot, P. B. 611
Barker, F. C.—
The $^{12}C(\alpha, \gamma)^{16}O$ cross section at stellar energies 25
The first excited state of ^{9}B 307
Beesham, A.—
A note on Lau's generalised theory of gravitation 23
Bobra, A. D.—
See Slee, O. B. 557
Bolotin, H. H.—
See Lampard, G. J. 117
Brown, J. D.—
See Foot, P. B. 611
Bruck, Yu. M.—
Decametric emission by pulsars 861
Burman, R. R.—
Electron outflow in axisymmetric pulsar magnetospheres 687
Bursill, L. A., Goodman, P., Patterson, J. D., and Tonner, S.—
An electron microscope study of defect-free $YBa_2Cu_3O_{7-x}$ ($x \approx 0{\cdot}15$) with superconductivity at 93 K 635
Butcher, E. C.—
See Williams, D. G. 47
Byrne, A. P.—
See Lampard, G. J. 117

Cahill, R. T.—
See Roberts, C. D. 499
Campbell, W. H., and Schiffmacher, E. R.—
Quiet ionospheric currents and Earth conductivity profile computed from quiet-time geomagnetic field changes in the region of Australia 73
Caswell, J. L.—
See Kesteren, M. J. 855
Milne, D. K. 709
Caswell, J. L., and Haynes, R. F.—
Survey of OH masers at 1665 MHz. III. Galactic longitudes 233° to 326° 215
Chakraborty, B.—
See Sur, A. K. 665
Chakraborty, B., Sur, A. K., and Paul, S. N.—
Nonlinear instability of ion–cyclotron whistlers in the ionosphere 675
Cheek, D. B.—
See Hay, H. J. 207
Choudhury, S. R., Joshi, G. C., McKellar, B. H. J., and Vogt, E. W.—
The possibility of meson–lepton and dilepton resonances 283
Christos, G. A.—
Abnormal parity solutions of the Wess–Zumino consistency conditions for chiral $SU(L)\times SU(L)$ symmetry 299
Chugaj, N. N.—
See Lozinskaya, T. A. 767
Clay, R. W.—
Cosmic ray anisotropy above 10^{15} eV 423
Collins, J. G., Collocott, S. J., Tainsh, R. J., Andrikidis, C., and White, G. K.—
Low temperature heat capacity and thermal expansion of KCL containing a low concentration of Li^+ 65
Collins, R. E.—
See Pailthorpe, B. A. 643
Collocott, S. J.—
See Collins, J. G. 65
Cook, J. L.—
See Donnelly, I. J. 175, 393
Crawford, D. F.—
Diffuse background X rays and the density of the intergalactic medium 459
Photons in curved space–time 449
Crompton, R. W.—
See Morrison, M. A. 239
Petrović, Z. Lj. 347

Donnelly, I. J., Rose, E. K., and Cook, J. L.—
Magnetohydrodynamic equilibrium models for rotamak plasmas 175
Power balance models for rotamak plasmas 393
Dopita, M. A.—
Models for the emission line spectra of oxygen-rich supernova remnants 789
Doran, C. E.—
See Lampard, G. J. 117
Durance, G.—
See Jones, I. R. 157

Elford, M. J.—
See England, J. P. 355
Ellis, G. R. A., and Mendillo, M.—
A 1·6 MHz survey of the galactic background radio emission 705
England, J. P., and Elford, M. T.—
The mobility of Li^+ ions in helium at 294 K and high *E/N* values 355

Flanders, B. S.—
See Foot, P. B. 611
Fletcher, J., and Purdie, P. H.—
Spatial non-uniformity in discharges in low pressure helium and neon 383
Foot, P. B., Shute, G. G., Spicer, B. M., Foster, C. C., Brown, J. D., Friesel, D. L., Nann, H., Seubert, J. W., Stephenson, E. J., Anderson, B. D., Baldwin, A. R., Flanders, B. S., Madey, R., Pairsuwan, W., and Watson, J. W.—
D state effects in the $^{11}B(\vec{d}, n)^{12}C$ reaction at 79 MeV 611
Foster, C. C.—
See Foot, P. B. 611
Friesel, D. L.—
See Foot, P. B. 611

Glushak, A. P., Kovalenko, A. V., Kutuzov, S. M., Pynsar', A. V., and Udal'tsov, V. A.—
Old supernova remnants: Structure and source of radio emission 713
Goodman, P.—
See Bursill, L. A. 635
Gurvits, L. I., Kuzmin, O. A., Popov, M. V., and Smirnova, T. V.—
Correlation properties of a short scale microstructure of pulsar radio emission within a 100 kHz bandwidth 847
Guseinov, O. H.—
See Allakverdiyev, A. O. 837

Guseinov, O. H., and Yusifov, I. M.—
Problem of the estimate of distances to pulsars 831

Hamilton, P. A.—
See McCulloch, P. M. 725
Hay, H. J., and Cheek, D. B.—
Proton induced X-ray emission for measurement of bromine in micro quantities of human blood plasma 207
Hay, H. J., and Treacy, P. B.—
Excitation of swift heavy ions in foil targets. III. Initial populations of Rydberg states 125
Haydon, S. C.—
See Sato, N. 527
Haynes, R. F.—
Cir X-1 revisited: 843 MHz observations of Cir X-1 and G321·9−0·3 741
See Caswell, J. L. 215
Kesteven, M. J. 855
Milne, D. K. 709
Hogg, G. R.—
See Jones, I. R. 157

Ivanov, V. P., and Stankevich, K. S.—
Nonstationary phenomena in the radiation of young supernova remnants 801

Jones, I. R., Turley, M. D. E., Wedding, J. E., Durance, G., Hogg, G. R., and Tendys, J.—
An experimental investigation of low power, long duration rotamak discharges 157
Joshi, G. C.—
See Choudhury, S. R. 283

Kashyapi, P. K.—
See Sur, A. K. 665
Kazbegi, A. Z., Machabeli, G. Z., and Melikidze, G. I.—
Radio emission model of a 'typical' pulsar 755
Kesteven, M. J.—
Interferometers, aberration and the Sagnac effect 435
Supernova remnant morphology: Are the remnants barrel-shaped? 815
See Milne, D. K. 709
Kesteven, M. J., Caswell, J. L., Roger, R. S., Milne, D. K., Haynes, R. F., and Wellington, K. J.—
Supernova remnants with jets 855

King, J. D.—
See Tingwell, C. I. W. 319
Klekociuk, A. R.—
See McCulloch, P. M. 725
Kondo, K.—
Evolution equation and transport coefficients of swarms in initial relaxation processes 367
Koppar, S. S.—
See Patel, L. K. 441
Koura, K.—
Monte Carlo simulation of an electron swarm in an argon-like gas 61
Kovalenko, A. V.—
See Glushak, A. P. 713
Kukielka, J.—
See Murawski, K. 659
Kutuzov, S. M.—
See Glushak, A. P. 713
Kuzmin, O. A.—
See Gurvits, L. I. 847

Lampard, G. J., Bolotin, H. H., Stuchbery, A. E., Doran, C. E., and Byrne, A. P.—
Systematics of gyromagnetic ratios of the 2_1^+ states in even Ge isotopes 117
Lee, A. R.—
See Williams, D. G. 47
Louw, J. A.—
See Steeb, W.-H. 587
Lozinskaya, T. A., and Chugaj, N. N.—
Relationship between supernova type and their remnants 767

McCulloch, P. M., Klekociuk, A. R., Hamilton, P. A., and Royle, G. W. R.—
Daily observations of three period jumps of the Vela pulsar 725
Machabeli, G. Z.—
See Kazbegi, A. Z. 755
McKellar, B. H. J.—
See Choudhury, S. R. 283
Madey, R.—
See Foot, P. B. 611
Mahanty, J., and Michalewicz, M. T.—
Interaction potential of a charged particle in a plane–sphere geometry 413
Mair, S. L.—
Correlations in space and time for a soft-mode phase-transforming system 619
Malov, I. F.—
Two types of pulsar 731
Manchester, R. N.—
Bi-annular structure in supernova remnants 823
Melikidze, G. I.—
See Kazbegi, A. Z. 755
Melrose, D. B.—
The cubic response tensor for a magnetised plasma: A covariant forward scattering approach 139
See Storey, M. C. 89
Mendillo, M.—
See Ellis, G. R. A. 705
Michalewicz, M. T.—
See Mahanty, J. 413
Miller, I. J.—
The quantisation of the screening constant 329
Milne, D. K.—
An atlas of supernova remnant magnetic fields 771
See Kesteven, M. J. 855
Milne, D. K., Caswell, J. L., Haynes, R. F., Kesteven, M. J., Wellington, K. J., and Roger, R. S.—
Synthesis surveys of southern supernova remnants 709
Moodie, A. F., and Whitfield, H. J.—
Microstructure of high temperature superconductors of the perovskite type 547
Morrison, M. A., Crompton, R. W., Saha, B. C., and Petrović, Z. Lj.—
Near-threshold rotational and vibrational excitation of H_2 by electron impact: Theory and experiment 239
Morrison, M. A., and Parker, G. A.—
A guide to rotations in quantum mechanics 465
Murawski, K.—
Stability of modified Korteweg–de Vries waves 593
Murawski, K., and Kukielka, J.—
Determination of Young's modulus in the circumferential direction of corn stalks 659

Nann, H.—
See Foot, P. B. 611

O'Shea, S.—
See Pailthorpe, B. A. 643

Pailthorpe, B. A., Collins, R. E., and O'Shea, S.—
Temperature limitation in evacuated solar collector tubes 643

Pairsuwan, W.—
See Foot, P. B. 611
Pang, G. D., Xiong, S. J., and Tsai, C. H.—
Effect of randomness in layer thickness on the phonon structure of superlattices 185
Parker, G. A.—
See Morrison, M. A. 465
Parle, A. J.—
Quantum electrodynamics in strong magnetic fields. IV. Electron self energy 1
Patel, L. K., and Koppar, S. S.—
A charged analogue of the Vaidya–Tikekar solution 441
Patterson, J. D.—
See Bursill, L. A. 635
Paul, S. N.—
See Chakraborty, B. 675
Sur, A. K. 665
Petrović, Z. Lj.—
See Morrison, M. A. 239
Petrović, Z. Lj., and Crompton, R. W.—
A swarm experiment in He–H_2 mixtures to examine vibrational excitation of H_2 by electron impact 347
Popov, M. V.—
See Gurvits, L. I. 847
Purdie, P. H.—
See Fletcher, J. 383
Pynsar', A. V.—
See Glushak, A. P. 713

Roberts, C. D., and Cahill, R. T.—
A bosonisation of QCD and realisations of chiral symmetry 499
Roger, R. S.—
See Kesteven, M. J. 855
Milne, D. K. 709
Rose, E. K.—
See Donnelly, I. J. 175, 393
Royle, G. W. R.—
See McCulloch, P. M. 725

Saha, B. C.—
See Morrison, M. A. 239
Sargood, D. G.—
See Tingwell, C. I. W. 319
Sato, N., and Haydon, S. C.—
Observation and analysis of nanosecond time-resolved r.f. corona in air and comparison with N_2 527
Schiffmacher, E. R.—
See Campbell, W. H. 73
Seubert, J. W.—
See Foot, P. B. 611
Shi, H., and Tsai, C.-H.—
Polariton modes in superlattices of uniaxial crystals 193
Shute, G. G.—
See Foot, P. B. 611
Signal, A. I., and Thomas, A. W.—
Anti-neutrino cross sections for neon and deuterium 601
Slee, O. B., Bobra, A. D., and Alurkar, S. K.—
Spectral behaviour of pulse width in pulsars 559
Smirnova, T. V.—
See Gurvits, L. I. 847
Spicer, B. M.—
See Foot, P. B. 611
Standish, R. K.—
Non-hydrodynamic contributions to the end effects in time of flight swarm experiments 519
Stankevich, K. S.—
See Ivanov, V. P. 801
Steeb, W.-H., Louw, J. A., and Villet, C. M.—
Linearly coupled anharmonic oscillators and integrability 587
Stephenson, E. J.—
See Foot, P. B. 611
Storey, M. C., and Melrose, D. B.—
Collisions in strong magnetic fields 89
Stuchbery, A. E.—
See Lampard, G. J. 117
Sur, A. K.—
See Chakraborty, B. 675
Sur, A. K., Kashyapi, P. K., Paul, S. N., and Chakraborty, B.—
Nonlinear shift of wave parameters of whistlers in the ionosphere in the presence of negative ions 665

Tainsh, R. J.—
See Collins, J. G. 65
Tassie, L. J.—
Formation of the Universe from rotating superstrings 109
Tendys, J.—
See Jones, I. R. 157
Thomas, A. W.—
See Signal, A. I. 601
Tingwell, C. I. W., King, J. D., and Sargood, D. G.—
Angular distributions for $^6Li(p, \gamma)^7Be$ 319
Tonner, S.—
See Bursill, L. A. 635
Treacy, P. B.—
See Hay, H. J. 125

Tsai, C. H.—
See Pang, G. D. 185
Shi, H. 193
Turley, M. D. E.—
See Jones, I. R. 157

Udal'tsov, V. A.—
See Glushak, A. P. 713

Villet, C. M.—
See Steeb, W.-H. 587
Vogt, E. W.—
See Choudhury, S. R. 283

Watson, J. W.—
See Foot, P. B. 611
Wedding, J. E.—
See Jones, I. R. 157
Wellington, K. J.—
See Kesteven, M. J. 855
Milne, D. K. 709
White, G. K.—
See Collins, J. G. 65
Whitfield, H. J.—
See Moodie, A. F. 547
Williams, D. G., Lee, A. R., and Butcher, E. C.—
A photodetector for measurement of metastable H(2S) in ion–atom collisions 47

Xiong, S. J.—
See Pang, G. D. 185

Yusifov, I. M.—
See Allakhverdiyev, A. O. 837
Guseinov, O. H. 831